



A1 19. (Amended) The ink composition of Claim 18, further comprising at least one of a humectant, and a colorant stabilizer.


A2 33. (Amended) An ink jet printable radiation curable composition comprising:  
a vehicle comprising a polymerizable material;  
a photoinitiator; and  
a fluorochemical surfactant;

wherein no colorant is present; and  
further wherein the fluorochemical surfactant comprises one or more surfactants  
having one or more chemical structures selected from:





and



wherein

~~~~~ represents a bond in a polymer chain;

$\text{R}_f$  is  $-\text{C}_4\text{F}_9$  or  $-\text{C}_3\text{F}_7$ ;

$\text{R}$ ,  $\text{R}_1$ ,  $\text{R}_2$  and  $\text{R}_a$  are each independently hydrogen or alkyl groups

having 1 to 4 carbon atoms;

$\text{R}_3$  comprises one or more straight or branched polyalkylene-oxy

groups having 2 to 6 carbon atoms in each group;

$n$  is an integer from 2 to 10;

$x$ ,  $y$  and  $z$  are integers of at least 1; and

$r$  is an integer of 2 to 20.

A version marked up to show changes made to the claims relative to the previous version of the claims is attached.